

Chemotherapy Protocols

CANCERS OF THE UPPER GASTRO-INTESTINAL TRACT

Protocol	Hospital using the Protocol
Oesophagus	
Cisplatin & 5FU (stored in Anal section)	RSCH
Cisplatin & 5FU & RT (Herskovic)	RSCH
Cisplatin & Capecitabine & RT	RSCH
Paclitaxel & Carboplatin & RT	RSCH
Upper GI	
Capecitabine & RT (stored in pancreas section)	RSCH, SASH
Cisplatin and Capecitabine (XP)	RSCH
Docetaxel 2 nd line	RSCH
E-Carbo-X	RSCH
ECX	RSCH
EOX	RSCH
FLOT	RSCH
Irinotecan 2 nd line	RSCH
Paclitaxel & Carboplatin	RSCH
Paclitaxel weekly 2 nd line (stored in gynae section)	RSCH
Trastuzumab (Herceptin)	RSCH
GIST	
Imatinib	RSCH
Regorafenib	RSCH
Sunitinib (stored in renal cell section)	RSCH

RSCH = Royal Surrey County Hospital

NB. The following reference sources were used routinely and are not individually referenced on each protocol:

Summary of Product Characteristics

Dose Adjustments for Cytotoxics in Renal and Hepatic Impairment, 2009 update, UCLH NHS Foundation Trust

Please note: the “Main Toxicities” section includes only predictable and/or important side effects. For more detailed information on side effects, please seek further literature.

Reason for Update: FLOT added	Prepared by: S Taylor
Version: 13	Date: September 2017
Supersedes: Version 12	